



SPECIALTIES

# LARGE FORMAT ADDITIVE MANUFACTURING



CHEMISTRY THAT MATTERS™

# ENABLING GROWTH FOR LARGE FORMAT ADDITIVE MANUFACTURING

---


Supporting the maturation of additive manufacturing from a prototyping technology to an end use part production process is a strategic focus for SABIC.

You may already know us as a global supplier of ULTEM™ resins for additively manufactured FST compliant aerospace applications and for our collaboration with Local Motors in the large format printing of the world's first 3D-printed car, the Strati.

Now, we're expanding our focus to include the development of differentiated materials formulated for use in a variety of additive manufacturing processes that may help designers meet specific functional requirements of production applications and solve processing challenges across a wide range of industries.

Building on SABIC's decades of experience in developing innovative material solutions in support of new processes, we are helping to advance the industry's adoption of large format additive manufacturing. At our Center of Excellence for Additive Manufacturing, SABIC has assembled a unique collection of capabilities to help accelerate the expansion of large format additive manufacturing technology.

With a broad portfolio of high-performance materials, along with processing expertise and state-of-the-art equipment, SABIC provides a highly supportive research environment for the optimization of design, material, and testing for additive manufacturing processes.




Processing and design expertise using SABIC's Big Area Additive Manufacturing Machine (BAAM®), located at its Center of Excellence for Additive Manufacturing enables rapid development of new materials specifically designed for large format printing.

# MATERIAL INNOVATIONS FOR LARGE FORMAT ADDITIVE MANUFACTURING

SABIC's capabilities, from the reactor to the compounded pellet, enable us to bring new materials to market which can not only offer the strength and dimensional stability required for large format additive manufacturing, but can also offer chemical resistance, thermal conductivity, heat resistance and improved processability tailored to customer and application needs.

Our new family of high performance THERMOCOMP™ AM compounds addresses the unique requirements of large format additive manufacturing (LFAM). Print parameters and mechanical properties are developed internally using test specimens printed on SABIC's in-house BAAM® machine, and can significantly aid customers in expediting their material selection and processing optimization. Reinforced with carbon or glass fibers for strength, the compounds can be used for applications in tooling, aerospace, automotive and defense industries.



THERMOCOMP AM compounds based on amorphous resins such as ABS, PPE, PC, and PEI exhibit good creep behavior versus semi-crystalline resins, and reduced deformation under constant pressure. Further, lower shrinkage during cooling means these materials demonstrate greater dimensional stability and less thermal expansion during part use.

- ABS-based compounds provide easy processing, low warpage and good print surface quality, making them good candidate materials for a broad range of applications and tooling.
- PPE-based compounds offer lower thermal expansion, outstanding hydrolytic stability, higher strength-to-weight ratio, and higher temperature performance compared to ABS.
- PC-based compounds deliver higher strength, higher temperature performance and higher throughput compared to ABS and PPE, as well as excellent ductility and a smooth surface finish.
- PEI-based compounds, developed from SABIC's inherently flame-retardant ULTEM™ resins, provide low thermal expansion, high temperature performance, excellent strength-to-weight ratio, high modulus, and low creep.

Each of the THERMOCOMP AM materials is reinforced with carbon or glass fiber, depending on the degree of stiffness and dimensional stability required. They are potential candidates for elevated-temperature applications such as thermoforming and composite layup tooling.

SABIC has also recently developed additional LFAM compounds including:

- PC/PBT compound reinforced with carbon fiber to provide amorphous resin processability, low warp and improved chemical resistance vs PC.
- High heat PC compound reinforced with carbon fiber to provide low warp and good processability. This material fills the temperature performance gap between PC and higher heat amorphous polymers like PEI and PESU.
- PESU compound reinforced with carbon fiber to provide additional high heat options where PESU may already be specified.

# MATERIAL INNOVATIONS FOR LARGE FORMAT ADDITIVE MANUFACTURING

Mechanical properties and processing information for THERMOCOMP™ AM compounds, including tensile and flexural properties, are developed internally using test specimens printed on our large format equipment (see Figure 1). This insight into process conditions and material performance gives customers confidence in the use of our materials and enables faster machine set up as well as higher print productivity.

SABIC's access to a wide range of thermoplastics resins and a number of fillers and reinforcements enables development of new compounds to meet customer and application needs for large format additive manufacturing (see Figure 2).

FIGURE 1




FIGURE 2

- THERMOPLASTIC RESINS**
- ABS
  - PC, PC/ABS, PC/PBT
  - PEI
  - PSU
  - PA11
  - PESU/PES
  - PPSU
  - PEEK
  - PPS
  - PA6
  - PA66
  - PPA
  - PPE, PPE/Nylon
  - OTHERS

- REINFORCEMENTS - FILLERS**
- CARBON FIBER
  - GLASS FIBER
  - MINERALS
  - FLAME RETARDANTS
  - HEAT STABILIZERS
  - UV AGENTS
  - THERMALLY CONDUCTIVE FILLERS
  - OTHERS

# APPLICATION DEVELOPMENT CAPABILITIES AND EXPERTISE

In addition to material development, SABIC offers expertise and resources for testing, design and application development for additive manufacturing.

From material chemistry, to material formulation, to print expertise, SABIC integrates design, processing and materials, much like we have done with traditional polymer processes over the past decades, to help solve problems for our customers.

Our application development expertise has now expanded to include capabilities specific to large format additive manufacturing technology (see Figure 3). This unique position enables us to produce innovative offerings for this space to help drive greater adoption of additive manufacturing for end use production.

FIGURE 3

	TRADITIONAL APPLICATION DEVELOPMENT	CAPABILITIES ADDED FOR LARGE FORMAT ADDITIVE MANUFACTURING
INDUSTRIAL DESIGN	<ul style="list-style-type: none"> <li>Application teardowns</li> <li>Concept designs</li> <li>Prototype development</li> </ul>	<ul style="list-style-type: none"> <li>Access to industrial engineers and designers to create parts</li> <li>Reverse engineering to recreate tools and redesign parts specific to additive manufacturing</li> </ul>
PREDICTIVE ENGINEERING	<ul style="list-style-type: none"> <li>Computer aided engineering</li> <li>Computer aided design</li> <li>Process simulation</li> <li>Life cycle analysis</li> </ul>	<ul style="list-style-type: none"> <li>Processing simulation to screen ideas for efficient test runs</li> <li>Fracture analysis to understand failure mode to improve process and materials feed simulation</li> <li>Warp analysis</li> <li>FEA to study printed parts to solve performance issues</li> </ul>
PROCESS DEVELOPMENT	<ul style="list-style-type: none"> <li>Conversion processes</li> <li>Material development</li> <li>Technical scoping and validation</li> <li>Training and consultation</li> </ul>	<ul style="list-style-type: none"> <li>Expertise on BAAM® to optimize processing parameters enabling faster setup and transition for customers</li> <li>Access to the broad portfolio of LNP™ specialty compounds</li> <li>3D laser scanner to perform quality checks on printed parts</li> <li>Thermal imaging to monitor processing consistency</li> </ul>
APPLICATION PERFORMANCE	<ul style="list-style-type: none"> <li>Secondary operations</li> <li>Painting and decoration</li> <li>Part testing and end use simulation</li> <li>Regulatory standards</li> </ul>	<ul style="list-style-type: none"> <li>Microscopy for fiber orientation</li> <li>CTE analysis for thermally cycled parts</li> <li>Mechanical properties testing of printed parts to aid customers in material selection</li> <li>Water jet for consistent cutting of printed parts for testing</li> <li>Autoclave, thermoform, vac-form and environmental chamber for tooling validation</li> <li>Non-destructive testing to check for voids or layer adhesion issues</li> <li>Composite testing equipment</li> <li>Post processing</li> </ul>

# APPLICATION DEVELOPMENT CAPABILITIES AND EXPERTISE


## DESIGN AND ENGINEERING

By applying our knowledge of traditional application development methodologies such as simulation, FEA, and fracture analysis we continue to expand our expertise and support our customers as they tap into the full design potential of large format additive manufacturing.

## PROCESS DEVELOPMENT

Unlike other additive manufacturing processes, large format additive manufacturing is an open process that allows for adjustment in temperature, speed of laydown, layer height and many more parameters. Proper processing is critical to ensure a quality printed part and can help to avoid issues such as polymer degradation which could lead to loss of some physical properties. SABIC develops process parameters for our large format additive manufacturing compounds, to be used as starting guidelines which can save customers time and resources. Following proper printing practices with careful consideration of drying time, extrusion residence times, temperatures and pressure will help create a robust part.

Capabilities at SABIC's Center of Excellence for Additive Manufacturing include an autoclave and thermoformer to support application development of printed tooling.



---

## APPLICATION PERFORMANCE

It is important to define the application requirements and the end use environment in order to properly select and evaluate material candidates. Lacking commonly accepted standards to test parts produced by large format additive manufacturing, scientists at SABIC have developed a robust test regimen to evaluate material properties and processing parameters to assist in material selection and process optimization for large format additive manufacturing.



State of the art testing equipment provides immediate feedback on large format printed samples, including tensile, flexural and compressive properties. This in-house capability provides the opportunity to validate our optimized print parameters and add speed to our customers' application development process.



At SABIC, supporting the growth of the additive manufacturing industry is an important strategic focus. Our unique internal capabilities in large format additive manufacturing coupled with decades of material and application development expertise provide an exceptional platform for us to bring innovative solutions to the industry. We are committed to helping our customers achieve success through ongoing collaborations with industry leaders at strategic OEMs, research institutes, and equipment manufacturers.

We look forward to collaborating with you.

## CONTACT US

### Middle East and Africa

SABIC Global Headquarters

PO Box 5101

Riyadh 11422

Saudi Arabia

T +966 (0) 1 225 8000

F +966 (0) 1 225 9000

E [info@sabic.com](mailto:info@sabic.com)

### Americas

2500 CityWest Boulevard

Suite 100

Houston, Texas 77042

USA

T +1 713 430-2301

E [productinquiries@sabic.com](mailto:productinquiries@sabic.com)

Technical Answer Center

T +1 800 845 0600

### Europe

Plasticslaan 1

PO Box 117

4600 AC

Bergen op Zoom

The Netherlands

T +31 164 292911

F +31 164 292940

Technical Answer Center

T (0) 0 800 1 238 5060

T2 00 36 1 288 3040

E [webinquiries@sabic.com](mailto:webinquiries@sabic.com)

### Asia Pacific

2550 Xiupu Road

Pudong

201319 Shanghai

China

T +86 21 2037 8188

F +86 21 2037 8288

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF SAUDI BASIC INDUSTRIES CORPORATION (SABIC) OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER") ARE SOLD SUBJECT TO SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UPON REQUEST. INFORMATION AND RECOMMENDATIONS CONTAINED IN THIS DOCUMENT ARE GIVEN IN GOOD FAITH. HOWEVER, SELLER MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (i) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING SELLER'S MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN SELLER'S STANDARD CONDITIONS OF SALE, SELLER SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of Seller's materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis. Nothing in any document or oral statement shall be deemed to alter or waive any provision of Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by Seller. Statements by Seller concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of Seller or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right.

SABIC and brands marked with ™ are trademarks of SABIC or its subsidiaries or affiliates.

© 2021 Saudi Basic Industries Corporation (SABIC). All Rights Reserved.

BAAM is a registered trademark of Cincinnati Incorporated.